



MOTOR CYCLE OIL 2T

Product Description:

MOTOR CYCLE OIL 2T is a high quality mineral lubricant specially developed for 2-stroke air cooled gasoline engines fitted with oil-injection or premix systems.

MOTOR CYCLE OIL 2T is based on a high quality virgin mineral base oils in combination with a special selected additive package to obtain the following properties:

- Outstanding protection against piston scuffing and premature wear of engine components.
- Excellent control against engine deposits, exhaust system blocking.
- Extended engine life without power loss.
- Low ash additive technology prevents pre-ignition and spark plug fouling.
- Easy miscibility with gasoline ensures stable homogeneous mixture even at low ambient temperatures.

MOTOR CYCLE OIL 2T meets the following performance criteria:

API TC JASO FB ISO-L-EGC

Property	Unit	Test Method	Typical Value
Density@15°C	kg/m ³	ASTM D4052	878
Color	Visual		amber
Kin. Viscosity @40°C	mm ² /s	ASTM D7042	69.6
Kin. Viscosity @100°C	mm ² /s	ASTM D7042	9.3
Viscosity Index		ASTM D2270	111
Flash Point COC	°C	ASTM D92	85
Pour Point	°C	ASTM D7346	-30
Total Base Number	mg KOH/g	ASTM D2896	1.2
Sulphated Ash	%Wt	ASTM D78	0.25

Product Nr: 42920

Date Superseded: 08-08-2011

Date Issued: 18-12-2019

Revision nr: 02

